Değirmen Makinaları Ürün Kataloğu
Millin Machinery Product Catalogue

MRD
Milling Machinery Systems







www.**mrdmilling**.com



MDR Milling Machinery, yüksek kaliteli un ve yem değirmenleri makineleri üretiminde uzmanlaşmış bir lider firmadır. Şirketimiz, sektördeki köklü deneyimi, uzman ekibi ve yenilikçi yaklaşımı ile tanınmaktadır. Müşterilerimize sağladığımız kaliteli ürünler ve mükemmel hizmet, MDR Milling Machinery'yi sektörde öne çıkaran unsurlardır.

Verimlilik ve İnovasyon

MDR Milling Machinery olarak misyonumuz, müşterilerimize yüksek kaliteli, verimli ve dayanıklı un ve yem değirmenleri makineleri sunarak onların iş süreçlerini daha etkili hale getirmelerine yardımcı olmaktır. Sektördeki en yeni teknolojileri takip ediyor ve ürün portföyümüzü sürekli olarak geliştiriyoruz.

Kalite ve Güvenilirlik

MDR Milling Machinery, un ve yem değirmenleri makinelerinde üstün kalite standartlarına sahip birçok çeşidi içeren geniş bir ürün yelpazesi sunmaktadır. Müşterilerimizin ihtiyaçlarına uygun özelleştirilebilir çözümlerle birlikte, her bir ürünümüz dayanıklılık, performans ve enerji verimliliği açısından sıkı kalite kontrolünden geçmektedir.

Müşteri Odaklı Hizmet Anlayışı

MDR Milling Machinery, müşteri memnuniyetini en üst düzeye çıkarmak için çaba gösteren bir ekip tarafından yönetilmektedir. Müşterilerimizle güçlü bir ilişki kurmayı ve onların ihtiyaçlarını anlamayı ön planda tutuyoruz. Teknolojik destek, eğitim ve satış sonrası hizmetlerle müşterilerimizin yanında oluyoruz.

MDR Milling Machinery is a leading company specialized in manufacturing high-quality flour and grain milling machines. Our company is renowned for its extensive experience, expert team, and innovative approach in the industry. The combination of premium products and excellent service distinguishes MDR Milling Machinery in the market.

Efficiency, and Innovation


At MDR Milling Machinery, our mission is to assist our customers in making their processes more efficient by providing them with high-quality, efficient, and durable flour and grain milling machines. We stay at the forefront of the industry by keeping up with the latest technologies and continuously enhancing our product portfolio.

Quality and Reliability

MDR Milling Machinery offers a wide range of superior-quality flour and grain milling machines, including many customizable solutions tailored to the specific needs of our customers. Each of our products undergoes rigorous quality control to ensure durability, performance, and energy efficiency.

Customer-Centric Service Approach

MDR Milling Machinery is managed by a team dedicated to maximizing customer satisfaction. We prioritize building strong relationships with our customers and understanding their needs. We stand by our customers with technological support, training, and post-sales services.



Öğütme/Miling


PNÖMATİK VALS	PNEUMATİC ROLLER MİLL	8
PNÖMATİK VALS (YENİ MODEL)	PNEUMATİC ROLLER MİLL (NEW MODEL)	10
ÇİFT KATLI PNÖMATİK VALS	PNEUMATİC ROLLER MİLL (DOUBLE)	12
KARE ELEK	PLANSİFTER	14
İRMİK SASÖRÜ	SEMOLİNA PURİFİER	16
KEPEK FIRÇASI	BRAN FİNİSHER	18
VİBRO KEPEK FIRÇASI	VİBRO BRAN FİNİSHER	19
İRMİK KIRICI	IMPACT DETACHER	20
VİBRO BESLEYİCİ	VİBRO FEEDER	21
VİTAMİN MAKİNESİ	MİCRO FEEDER	22
ÇEKİÇLİ DEĞİRMEN	HAMMER MİLL	23

Temizleme/Cleaning

YÜKSEK KAPASİTELİ ÇÖP SASÖRÜ	HİGH CAPACİTY GRAİN SEPARATOR	26
ÇÖP SASÖRÜ	VİBRO GRAİN SEPARATOR	27
RADYAL TARAR	AİR RECYCLİNG TARAR	28
HAVA KANALI	AİR CHANNEL	29
TRİYÖR	TRİEUR	30
TAŞ AYRICI	DESTONER	32
KABUK SOYUCU	WHEAT IMPACT SCOURER	33
CEBRİ TAV	INTENSİVE DAMPENER	34
AÇILI CEBRİ TAV	INCLİNED INTENSİVE DAMPENER	35
DİK KURUTMALI YIKAMA	VERTİCAL WASHİNG & DRYİNG	36
MIKNATISLAR	MAGNETS	37

Paketleme/Packaging

TEK TARTIM TEK KAFALI PAKETLEME	SİNGLE WEİGHİNG & SİNGLE MOUTH BAGGİNG SCALE	54
ÇİFT TARTIM TEK KAFALI PAKETLEME	DOUBLE WEİGHİNG & SİNGLE MOUTHBAGGİNG SCALE	54
4 KAFALI OTOMATİK PAKETLEME	4 MOUTHS AUTOMATİC CAROUSEL BAGGİNG SCALE	55
6 KAFALI OTOMATİK PAKETLEME	6 MOUTHS AUTOMATİC CAROUSEL BAGGİNG SCALE	55
RANDIMAN KANTARI	EXTRACTİON SCALE	56
OTOMATİK TAVLAMA MAKİNESİ	AUTOMATİC DAMPENİNG MACHİNE	57
DAĞITICI (DİVİZÖR)	REVOLVİNG DİSTRİBUTOR	58



Taşıma/Handling

ELEVATÖR	ELEVATOR	40
HELEZON	SCREW CONVEYOR	41
TÜP HELEZON	SCREW CONVEYOR	42
ZİNCİRLİ KONVEYÖR	CHAİN CONVEYOR	43
TOZ SİKLONU	DUST CYCLONE	44
SUPERSONİC FİLTER	SUPERSONİC FİLTER	45
HAVA KİLİDİ	AİR LOCK	46
PAÇAL MAKİNESİ	FLOW BALANCER	47
VİBRO SİLO BOŞALTICI	VİBRO SİLO DİSCHARGER	48
BLOWER POMPA	BLOWER PUMP	49
DÜŞÜK BASINÇLI ASPİRATÖR	LOW PRESSURE FAN	50
PNÖMATİK FAN	HİGH PRESSURE FAN	51

Yem Makineleri/Feed Machines

DOSAJ KANTARI	DOSING SCALE	60
ÇEKİÇLİ DEĞİRMEN	HAMMER MILL	62
KIRICI BESLEME VE MIKNATIS	HAMMER MILL LOADING & MAGNET	64
MİKSER	MIXER	66
MELASİYER	MOLASSES MIXER	68
PELET PRESİ	PELLET PRESS	70
PELET PRESİ	PELLET PRESS	72
SOĞUTUCU	COOLER	74
GRANÜLATÖR	CRUMBLER	76
ÇÖP SASÖRÜ	SEPARATOR	78
25-50 KG TEK TARTIM TEK BOŞALTIM YEM PAK.	25-50 KG SINGLE WEIGHING SINGLE DISCHARGE FEED PAC.	80
PREMİXPREMIX	DOSAGE	82
DAİRESEL ELEK	CIRCLE SIEVE	84


Yedek Parça/Spare Part

YEDEK PARÇA	SPARE PART	88-94

Silos / Silolar

95-99







ÖĞÜTME GRUBU
GRINDING GROUP
ПОМОЛЬНОЕ ОБОРУДОВАНИЕ

PNÖMATİK VALS

Pneumatic Roller Mill
Appareil À Cylindre








Model Type	Teknik Özellikler / Technical Feature			Ölçüler / Dimensions									Ağırlık (kg) Weight (kg)
	Top Çapı (Ø) Roller Dia (Ø)	Top Uzunluğu (mm) Roller Lenght (mm)	Hacim Volume	A	B	C	D	E	F	G	H	J	
MRDPV 250x800	250	800	4.8	560	805	1610	1330	1490	430	480	1340	500	2930
MRDPV 250x1000	250	1000	5.4	560	1005	1810	1330	1490	430	480	1340	500	3130
MRDPV 250x1250	250	1250	6.1	870	1255	1255	1330	1490	430	480	1340	500	3330






PNÖMATİK VALS

Pneumatic Roller Mill
Appareil À Cylindre






Model Type	Teknik Özellikler / Technical Feature			Ölçüler / Dimensions									Ağırlık (kg) Weight(kg)
	Top Çapı (Ø) Roller Dia (Ø)	Top Uzunluğu (mm) Roller Lenght (mm)	Hacim Volume	A	B	C	D	E	F	G	H	J	
MRDPV-Y 250x800	250	800	4.8	560	805	1610	1330	1490	430	480	1340	500	2930
MRDPV-Y 250x1000	250	1000	5.4	560	1005	1810	1330	1490	430	480	1340	500	3130
MRDPV-Y 250x1250	250	1250	6.1	870	1255	1255	1330	1490	430	480	1340	500	3330



ÇİFT KATLI PNÖMATİK VALS

Pneumatic Roller Mill (Double)
Appareil À Cylindre (Doublé)






Model Type	Teknik Özellikler / Technical Feature			Ölçüler / Dimensions									Ağırlık (kg) Weight(kg)
	Top Çapı (Ø) Roller Dia (Ø)	Top Uzunluğu (mm) Roller Lenght (mm)	Hacim Volume	A	B	C	D	E	F	G	H	J	
MRDPV-C 250x800	250	800	4.8	560	805	1610	1330	1490	430	480	1724	500	2930
MRDPV-C 250x1000	250	1000	5.4	560	1005	1810	1330	1490	430	480	1724	500	3130
MRDPV-C 250x1250	250	1250	6.1	870	1255	1255	1330	1490	430	480	1724	500	3330



KARE ELEK

Plansifter
Plansichter Carre





Model Type	Teknik Özellikler / Technical Feature					Ağırlık (kg) Weight(kg)
	Kasa Sayısı Number of Case	Eleme Alanı (m^2) Sieve Area (m^2)	Hacim Volume	Motor Power		
				kw	hp	
MRDKE 4x24	20 - 24	19.0 - 22.7	14	3	4	2500
MRDKE 4x28	24 - 28	22.7 - 26.5	15.6	3	4	2750
MRDKE 6x24	20 - 24	30.8 - 34.1	19	4	5.5	3260
MRDKE 6x28	24 - 28	34.1 - 39.8	21	4	5.5	3710
MRDKE 8x24	20 - 24	38.0 - 45.5	24	5.5	7.5	4025
MRDKE 8x28	24 - 28	45.0 - 53.0	24.4	5.5	7.5	4670




Model Type	Ölçüler / Dimensions																
	A	B	C	C1	D	E	F	G	H	H1	J	K	L	N	P	Q	R
MRDKONTE 2x10	1850	3100	1516	750	2260	3005	3175	2430	1685	928	700	1060	750	1900	400	280	900
MRDKONTE 2x14	2150	3250	1516	750	2260	3005	3175	2430	1685	928	700	1060	750	1900	400	280	900

İRMİK SASÖRÜ


Semolina Purifier
Sasseur Á Semoule





Ölçüler / Dimensions											
A	B	C	D	E	F	G	H	I	ØJ	axa	bxb
2750	1290	1305	1450	690	1280	930	1500	1880	90	200x550	250x600

Model Type	Teknik Özellikler / Technical Feature			Ağırlık (kg) Weight(kg)
	Kurs (mm) Strok (mm)	Elek Ölçüsü (mm) Sieve Dimensions (mm)	Motor (kw) Power (kw)	
MRDIS 46x200	0,9	19.0 - 22.7	14	842







KEPEK FIRÇASI

Bran Finisher
Finisseur A Son








Model Type	Ölçüler / Dimensions (mm)							Kapasite Capacity	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	(kg/h)	(kW)	(kg)
MRDKP 45x110	1700	550	1520	1200	120	120	150	900-1800	5,5kw 1500rpm	410

VİBRO KEPEK FIRÇASI

Vibro Bran Finisher
Vibro Finisseur A Son (Vibro)







Model Type	Teknik Özellikler / Technical Feature		Ölçüler / Dimensions								Ağırlık (kg) Weight(kg)
	Kapasite (t/s) Capacity (t/h)	Motor (kw) Power (kw)	A	B	C	D	E	ØF	ØG	ØH	
MRDVKF	2,4	5,5	2570	2990	955	610	800	120	120	120	530

İRMİK KIRICI

Impact Detacher
Accélérateur De Mouture









Model Type	Ölçüler / Dimensions (mm)				Kapasite Capacity	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	(t/h)	(kW)	(kg)
MRDIK 55	730	770	120	92	1	5,5kw 3000rpm	130
MRDIK 75	730	770	120	92	1,5	7,5kw 3000rpm	145

VİBRO BESLEYİCİ

Vibro Feeder
Distributeur Vibrant









Model Type	Ölçüler / Dimensions (mm)							Motor Gücü Motor Power	Depo Hacmi Bunker Volume	Kapasite Capacity	Ağırlık Weight
	A	B	C	D	E	F	G	(kW)	(m^3)	(t/h)	(kg)
MRDVB	400	520	1390	710	450	120	120	0,18kw 1500rpm	0,09	1,2	90

VİTAMİN MAKİNESİ

Micro Feeder
Douser








Katkı Tablosu / Additive Table	Hız/ Speed	5	10	15	20	25	30	35	40	45	50	55	60
	gr	8	16	24	32	40	48	56	64	72	80	88	96

Model Type	Ölçüler / Dimensions (mm)									Motor Gücü Motor Power	Depo Hacmi Bunker Volume	Kapasite Capacity	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	(kW)	(m^3)	(t/h)	(kg)
MRDVM 30	385	355	420	450	870	560	690	480	48	0,37kw 14rpm	0,06	5gr - 100 gr	65
MRDVM 60	385	355	420	900	1320	560	690	480	48	0,37kw 14rpm	0,12	10gr - 300 gr	90

* Değerler 0,5 kg/m^3 ürün ağırlığına göre verilmiştir, ürüne göre değişiklik gösterebilir.
* The numbers are given aproxiamately according to 0,5 kg/m^3 product weight, it may change according to product.

LAVRA YOK EDİCİ

Larva Destroyer
Désinsectiseur






Model Type	Ölçüler / Dimensions (mm)					Motor Gücü Motor Power	Kapasite Capacity	Ağırlık Weight
	A	B	C	D	E	(kW)	(t/h)	(kg)
MRDLY 60	600	800	1250	150	120	15kw 3000rpm	6 - 8	200
MRDLY 80	800	950	1445	200	150	18,5kw 3000rpm	10 - 12	230

ÇEKİÇLİ DEĞİRMEN (ÜFLEMELİ)

Hammer Mill (With Aspiration)
Broyeur A Marteaux







Model Type	Ölçüler / Dimensions (mm)						Ürün Alt Çıkış Product Bottom Output	Motor Gücü Motor Power	Bıçak Sayısı Blade Number	Kapasite Capacity (t/h)	Ağırlık Weight (kg)
	A	B	C	D	E	F					
MRDCD 11	1800	1325	855	1030	1210	600	400 x 500	11kW 3000rpm	60	2	950
MRDCD 15	1800	1325	855	1030	1210	600	400 x 500	15kW 3000rpm	60	2,5	970


Clean





TEMİZLEME GRUBU
CLEANING GROUP
ЗЕРНООЧИСТИТЕЛЬНОЕ ОБОРУДОВАНИЕ

YÜKSEK KAPASİTELİ ÇÖP SASÖRÜ

High Capacity Grain Separator
Separateur A Haute Capacite









Model Type	Teknik Özellikler / Technical Feature	Ölçüler / Dimensions				
	Motor (kw) Power (kw)	A	B	C	D	E
MRDYKS 1000	2 x 4kw	1800	1300	2300	2450	5100
MRDYKS 1400	2 x 5,5 kw	2200	1700	2300	2450	6000
MRDYKS 2000	4 x 4 kw	3000	2300	2300	2450	6800

ÇÖP SASÖRÜ

Vibro Grain Separator
Séparateur Vibrant Pour Blè







MODEL TYPE	Ölçüler / Dimensions (mm)						Kapasite / Capacity		Motor Gücü / Motor Power	Ağırlık / Weight
	A	B	C	D	E	F	Ön Temizleme Pre-Cleaning	Temizleme Cleaning	(kW)	(kg)
MRDCS 80x160	2300	1380	1480	1210	1210	150	8	6 - 8	2 x 0,37kw 1000rpm	480
MRDCS 100x200	2330	1300	1775	1100	1285	150	25	14 - 16	2 x 0,75kw 1000rpm	500
MRDCS 150x240	2890	1700	2120	1830	2220	200	50	30	2 x 1,50kw 1000rpm	955

RADYAL TARAR

Air Recycling Tarar
Tarare Radial








Model Type	Ölçüler / Dimensions (mm)											Ürün Alt Çıkış Prod. Bottom Output	Motor Gücü Motor Power		Kapasite Capacity (t/h)		Ağırlık Weight
	A	B	C	D	E	F	G	H	I	J	K				Ön Temizleme Pre-Cleaning	Temizleme Cleaning	(kg)
MRDRT 60	1960	1315	1080	900	600	1050	620	120	120	200	1750	300x600	0,75kw 64rpm	3kw 3000rpm	8	6 - 8	300
MRDRT 80	1960	1315	1280	1100	800	1050	620	120	120	250	1750	300x800	0,75kw 64rpm	3kw 3000rpm	16	8 - 14	330
MRDRT 100	1960	1315	1480	1300	1000	1050	620	120	120	250	1750	300x1000	0,75kw 64rpm	3kw 3000rpm	25	14 - 18	370
MRDRT 150	1960	1315	2460	1800	1500	1050	620	120	120	250	1750	300x1500	0,75kw 64rpm	2x3kw 3000rpm	50	18 - 30	490

HAVA KANALI

Air Channel
Canal D'Aspiration






Model Type	Ölçüler / Dimensions (mm)										Ürün Alt Çıkış Prod. Blow Output	Hava İhtiyacı Air Requirement m^3 / dk - m^3 / min	Kapasite Capacity	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	J			(t/h)	(kg)
MRDHK 60	475	1750	400	1700	600	555	676	700	120	290	300x600	40	8	80
MRDHK 80	475	1750	400	1700	800	555	676	800	120	290	300x800	50	16	95
MRDHK 100	475	1750	400	1700	1000	555	676	1100	120	290	300x1000	65	25	140
MRDHK 150	475	1750	400	1700	1500	-	-	1600	-	400	300x1500	100	50	270

TRİYÖR

Trieur
Trieur





Model Type	Ölçüler / Dimensions (mm)								Kapasite Capacity	Hava İhtiyaci Air Requirement	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	H	(t/h)	m^3/dk - m^3/min	(kW)	(kg)
MRDTR 63x200	-	1150	960	2340	2500	120	120	120	4	8	1,5kw 38rpm	570
MRDTR-D 63x200	2760	1880	960	2340	2500	120	120	120	8	12	1,5kw 38rpm	1140
MRDTR 63x240	-	1150	960	3340	3500	120	120	120	4,5	8	1,5kw 38rpm	620
MRDTR-D 63x240	3760	1880	960	3340	3500	120	120	120	9	12	1,5kw 38rpm	1240
MRDTR 75x240	-	1175	1080	3340	3500	120	120	120	5	10	1,5kw 32rpm	700
MRDTR-D 75x240	3760	1960	1080	3340	3500	120	120	120	10	14	1,5kw 32rpm	1400
MRDTR 75x300	-	1175	1080	3940	4100	120	120	120	6	10	1,5kw 32rpm	875
MRDTR-D 75x300	4360	1960	1080	3940	4100	120	120	120	12	14	1,5kw 32rpm	1750
MRDTR 90x240	-	1410	1246	3340	3500	120	120	120	7	12	2,2kw 27rpm	910
MRDTR-D 90x240	3760	2610	1246	3340	3500	120	120	120	14	16	2,2kw 27rpm	1820
MRDTR 90x300	-	1410	1246	3940	4100	120	120	120	8	12	2,2kw 27rpm	945
MRDTR-D 90x300	4360	2610	1246	3940	4100	120	120	120	16	16	2,2kw 27rpm	1890




info@mrdmilling.com

TAŞ AYRICI

Destoner
Epierreur






Model Type	Ölçüler / Dimensions (mm)									Kapasite Capacity	Hava İhtiyaci Air Requirement	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	(t/h)	m³/dk - m³/min	(kw)	(kg)
MRDTA 120x120	1780	1940	1600	1080	1180	1400	540	500	120	14	230	2 x 0,75kw 1000rpm	650
MRDTA 120x150	1780	1940	1900	1080	1180	1400	540	600	150	18	290	2 x 1,1kw 1000rpm	720

KABUK SOYUCU

Wheat Impact Scourer
Decortiqueuse A Blè







Model Type	Ölçüler / Dimensions (mm)								Kapasite Capacity	Hava İhtiyaci Air Requirement	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	H	(t/h)	m³/dk - m³/min	(kW)	(kg)
MRDKS 35x60	1225	1580	500	790	120	120	120	120	8-10	8	7,5kw 1500rpm	470
MRDKS 45x80	1510	1695	700	1040	120	120	120	120	14-16	12	15kw 1500rpm	960

info@mrdmilling.com

CEBRİ TAV

Intensive Dampener
Mouilleur Intensif







Model Type	Ölçüler / Dimensions (mm)							Kapasite Capacity	Su İhtiyaci Water Requirement	Su Girişi Water Inlet	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	(t/h)	(lt/h)	Ø (DN)	(kW)	(kg)
MRDCT 32x50	1770	1500	690	1220	500	120	140x180	8	482 lt	1/2" (DN15)	7,5kw 1500rpm	610
MRDCT 32x100	2270	1500	690	1720	1000	120	140x180	14	843 lt	1/2" (DN15)	15kw 1500rpm	835

AÇILI CEBRİ TAV

Inclined Intensive Dampener
Mouilleur Intensif Incline






Model Type	Ölçüler / Dimensions (mm)							Kapasite Capacity	Su İhtiyaci Water Requirement	Su Girişi Water Inlet	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	(t/h)	Değişken/Variable (lt/h)	Ø (DN)	(kW)	(kg)
MRDCT 25x200	2230	1350	690	1570	2000	120	120	8-10	482 lt	1/2" (DN15)	5,5kw 1000rpm	280
MRDCT 28x240	2600	1920	710	1670	2400	120	120	12-16	723 lt	1/2" (DN15)	7,5kw 1000rpm	310
MRDCT 35x300	3200	2320	920	2270	3000	150	150	20-26	1205 lt	1/2" (DN15)	15kw 1000rpm	685

DİK KURUTMALI YIKAMA

Vertical Washing & Drying
Laveuse-Essoreuse






Model Type	Ölçüler / Dimensions (mm)									Kapasite Capacity	Motor Gücü Motor Power		Su İhtiyacı Water Requirement	Su Girişi Water Inlet	Rotor Rotary	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	(t/h)	Yıkama Washing	Kurutma Drying	(lt/h)	PUT Ø (DN)	(mm)	(kg)
MRDDKY 6	4170	2400	950	3300	500	550	3900	120	190x290	3 - 4	0,75kw 160rpm	7,5kw 1500rpm	1200 lt	1'' (DN25)	600	1400
MRDDKY 8	4470	2400	1100	3600	550	650	4200	120	190x390	6 - 8	1,1kw 160rpm	11kw 1500rpm	3000 lt	1'' (DN25)	750	1650
MRDDKY 12	4670	2500	1300	3800	580	700	4400	150	190x490	12 - 14	1,5kw 160rpm	15kw 1500rpm	5000 lt	1-1/4'' (DN32)	900	2000

ROKET MIKNATIS

Rocket Magnet
Aimant Rocket



Type	Capacity (t/h)		Dimensions (mm)			
	Wheat	Corn	ØA	ØB	ØC	H
MRDMR 10	10	8	180	120	250	620
MRDMR 20	20	15	210	150	300	620
MRDMR 30	30	25	260	200	350	720
MRDMR 50	45-50	40	280	220	400	770
MRDMR 75	75	60	310	250	450	900
MRDMR 100	100	85	360	300	600	1000
MRDMR 150	150	125	380	320	650	1100
MRDMR 200	200	170	450	380	750	1100



ALÜMİNYUM MIKNATIS

Aluminium Magnet
Aimant en aluminium




MIKNATIS KUTUSU

Magnet Box
Boîte à aimants



Code	Type	Capacity (t/h)	Dimensions (mm)		
			Inlet	Outlet	Hight
MRDMK	100	10	100	200	570
	120	17	120	230	640
	150	30	150	275	680
	200	70	200	355	790
	250	100	250	435	950
	300	130	300	515	1000



Transp




TAŞIMA GRUBU
TRANSPORTATION GROUP
ТРАНСПОРТИРОВОЧНОЕ ОБОРУДОВАНИЕ

ELEVATÖR

Elevator
Élèvateur À Godets






Model Type	Ölçüler / Dimensions (mm)													Kasnak Pulley	Kayış Belt	Kova Bucket	Kapasite / Capacity (t/h)			Ağırlık Weight (kg)
	A	B	C	D	E	F	G	H	I	J	K	L	M	(Ø)	(mm)	(mm)	Buğday Wheat	Un Flour	Kepek Bran	
MRDEL 160x160	950	660	990	880	710	160	470	300	120	120	120	---	---	385	120	100	9	6	3	200
MRDEL 180x180	985	680	1020	880	710	180	500	320	120	120	120	---	---	385	140	120	14	10	5	210
MRDEL 200x200	1025	700	1065	880	710	200	520	340	150	150	150	---	---	385	160	140	22	15	8	220
MRDEL 220x220	1155	725	1100	880	710	220	535	360	150	150	150	---	---	385	180	160	29	20	11	245
MRDEL 250x250	1220	755	1150	880	710	250	570	400	150	150	150	---	---	385	200	180	38	26	14	260
MRDEL 300x300	1420	830	1365	980	810	300	620	450	200	200	150	2100	800	425	260	240	100	65	35	300
MRDEL 350x350	1650	1010	1390	1010	1000	350	760	460	200	200	200	2100	800	425	300	280	120	85	38	370
MRDEL 350x400	1650	1010	1390	1010	1000	400	960	560	250	250	200	2100	900	425	360	340	145	107	48	400

HELEZON

Screw Conveyor
Vis Sans Fin






Model Type	Ölçüler / Dimensions (mm)						Kapasite / Capacity (t/h) (125rpm) (max)		
	A	B	C	D	E	F	Buğday/Wheat (0.8)	Un/Flour (0,55)	Kepek/Bran (0.30)
MRDVH 160	160	278	310	430	190x190	Değişken/Variable	9,5	6,5	3,5
MRDVH 180	180	278	330	430	210 x 210	Değişken/Variable	13	9,5	5
MRDVH 200	200	298	390	410	230 x 230	Değişken/Variable	18	12	7
MRDVH 220	220	320	390	410	250 x 250	Değişken/Variable	25	17	9,5
MRDVH 250	250	350	455	470	280 x 280	Değişken/Variable	36	25	13
MRDVH 280	280	380	455	470	310x310	Değişken/Variable	51	35	19
MRDVH 300	300	400	490	470	330 x 330	Değişken/Variable	63	44	23
MRDVH 350	350	450	540	500	380x380	Değişken/Variable	100	70	37

TÜP HELEZON

Tube Conveyor
Vis Sans Fin Tubulaire






Model Type	Ölçüler / Dimensions (mm)									
	A	B	C	D	E	F	G	H	I	J
MRDVH 180	180	1075	515	405	210	120	600	350	1 1/4"	Değişken / Variable
MRDVH 200	200	1075	515	425	230	120	600	350	1 1/4"	
MRDVH 220	220	1075	515	445	250	120	600	400	1 1/4"	
MRDVH 250	250	1075	515	475	280	120	600	400	1 1/4"	
MRDVH 300	300	1075	540	525	330	120	600	400	1 1/4"	

ZİNCİRLİ KONVEYÖR

Chain Conveyor
Convеyeur A Chane







Model Type	Ölçüler / Dimensions (mm)							Kapasite / Capacity (t/h) (55rpm)	
	A	B	C	D	E	F	G	Buğday/Wheat	Yem/Feed
MRDZK 220x430	220	430	1140	1140	315 x 220	Değişken / Variable	830	100	45
MRDZK 410x500	410	500	1050	1050	395 x 410	Değişken / Variable	830	200	130

TOZ SİKLONU


Dust Cyclone
Cyclone







SOL / LEFT



SAĞ / RIGHT


Model Type	Ölçüler / Dimensions (mm)									Hava İhtiyacı Air Requirement	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	m^3/dk	(kg)
MRDTS 100	2605	1000	1500	1000	1238	350	300	300	150	0 - 100	160
MRDTS 120	3510	1400	2000	1200	1400	500	400	400	150	100 - 170	250
MRDTS 135	3710	1600	2000	1350	1600	550	450	450	150	150 - 300	300
MRDTS 150	3860	1750	2000	1500	1770	600	500	500	150	180 - 500	360

SUPERSONİK FİLTRE

Supersonic Filter
Supersonic Filter








Model / Type	MRDSF 16			MRDSF 26			MRDSF 39			MRDSF 52			MRDSF 78			MRDSF 104		
Ölçüler / Dimensions (mm)	B			B			B			B			B			B		
	1800	2000	2400	1800	2000	2400	1800	2000	2400	1800	2000	2400	1800	2000	2400	2000	2400	3000
A	1100			1200			1400			1530			2000			2100		
C	880			880			880			880			880			880		
D	950			1550			1700			1850			2250			2480		
E	3630	3830	4230	4230	4430	4830	4330	4580	4980	4530	4730	5130	4930	5130	5530	5360	5760	6362
F	3730	3930	4330	4330	4530	4930	4480	4680	5080	4630	4830	5230	5030	5230	5630	5462	5862	6462
G	250			300			350			350			400			400		
H	250			600			700			700			800			800		
I	400			500			550			550			650			650		
J	400x300			600x300			700x350			700x350			700x350			700x350		
K	150			150			150			150			150			150		
L	1375			1525			1670			1830			2300			2400		
M	76			76			76			76			76			76		
N	600			600			600			600			600			600		
O	480			860			1060			1215			1670			1870		
P	3880	4080	4480	3880	4080	4480	3880	4080	4480	3880	4080	4480	3880	4080	4480	4080	4480	5080
R	1200			1200			1200			1200			1200			1200		
Ağırlık / Weight (kg)	455	515	575	530	730	800	790	995	1100	1100	1240	1365	1450	1700	1900	2400	2630	2885

HAVA KİLİDİ

Air Lock
Ecluse À Air






Model Type	Ölçüler / Dimensions (mm)										Ağırlık Weight
	A	B	C	D	G	L	N	P	R	S	(kg)
MRDHK 200	490	250	295	220	220	132	365	720	515	120	40
MRDHK 220	490	250	320	220	220	150	365	720	540	120	55
MRDHK 240	490	250	320	220	220	150	365	720	540	120	65
MRDHK 300	515	275	342	245	220	180	390	445	565	120	80
MRDHK 400	590	390	480	340	220	200	440	485	700	200	135

PAÇAL MAKİNESİ

Flow Balancer
Distributeur À Ble






Model Type	Ölçüler / Dimensions (mm)										Kapasite Capacity	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	J	(t/h)	(kg)
MRDPC 220	520	510	270	320	340	170	390	390	120	30	8-10	45

VİBRO SİLO BOŞALTICI


Vibro Silo Discharger
Dechargeur Vibrant



KEPEK / BRAN




UN / FLOUR




Model Type	Ölçüler / Dimensions (mm)					Motor Gücü Motor Power	Ağırlık Weight
	A	B (Un/Flour)	B (Kepek/Bran)	C	D		(kg)
MRDVSB 60	600	390	500	150	920	0,12kW 1500rpm	160
MRDVSB 100	1000	450	550	250	1490	0,25kW 1500rpm	260
MRDVSB 130	1300	570	690	350	1790	0,37kW 1500rpm	350
MRDVSB 160	1600	610	790	350	2090	0,55kW 1500rpm	400
MRDVSB 180	1800	665	1090	350	2315	0,75kW 1500rpm	450

BLOWER POMPA

Blower Pump
Souffleur








Model Type	Ölçüler / Dimensions (mm)					Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	Değişken/Variable	(kg)
MRDBP 50	1000	410	1265	845	510	4kw 1500rpm	100
MRDBP 65	1000	410	1265	845	510	7,5kw 1500rpm	120
MRDBP 80	1060	490	1395	975	690	11kw 1500rpm	200
MRDBP 100	1060	490	1395	975	690	18,5kw 1500rpm	230
MRDBP 125	1100	655	1520	1100	925	30kw 1500rpm	450


DÜŞÜK BASINÇLI ASPİRATÖR

Low Pressure Fan
Ventilateur Centrifuge Basse Pression












Model Type	Ölçüler / Dimensions (mm)								Motor Devri Motor Speed	Hava Basıncı Air Pressure	Hava Miktarı Air Quantity	Ağırlık Weight
	A	B	C	D	E	F	G	H	(kW)	mmss/mmwc	m^3/min	(kg)
MRDAS 3	580	605	720	610	350	215	160	180	3kW 1500rpm	160	100	250
MRDAS 5	1125	1050	940	830	700	300	350	325	5,5kW 1500rpm	220	130	300
MRDAS 7	1225	1140	1000	892	630	400	400	360	7,5kW 1500rpm	250	160	320
MRDAS 11	1325	1200	1120	1060	700	450	450	425	11kW 1500rpm	250	230	380
MRDAS 15	1430	1315	1170	1110	800	500	500	475	15kW 1500rpm	280	275	435
MRDAS 18	1490	1345	1070	1010	985	500	400	450	18,5kW 1500rpm	280	320	450
MRDAS 22	1440	1300	1070	1010	850	500	400	450	22kW 1500rpm	280	400	500
MRDAS 30	1700	1500	1340	1280	855	600	600	550	30kW 1500rpm	300	500	720
MRDAS 37	1720	1520	1420	1360	1100	700	600	580	37kW 1500rpm	350	550	780
MRDAS 45	1820	1570	1510	1400	1240	750	600	600	45kW 1500rpm	400	600	830


PNÖMATİK FAN

High Pressure Fan
Ventilateur Centrifuge Haute Pression









Model Type	Ölçüler / Dimensions (mm)								Motor Gücü Motor Power	Hava Emişi Air Suction	Hava Basıncı Air Pressure	Ağırlık Weight
	A	B	C	D	E	F	G	H	(kW)	mmss / mmwc	m^3 / min	(kg)
MRDPF 18	870	890	1075	580	730	235	160	300	18,5kW 3000rpm	900	60	375
MRDPF 22	950	910	1040	570	700	235	250	300	22kW 3000rpm	1000	75	400
MRDPF 37	1020	1000	1160	630	800	260	250	300	37kW 3000rpm	1100	116	520
MRDPF 45	1060	1020	1180	630	790	275	300	350	45kW 3000rpm	1200	140	610
MRDPF 55	1180	1040	1280	830	890	290	320	350	55kW 3000rpm	1200	166	710
MRDPF 75	1200	1140	1360	730	900	320	350	400	75kW 3000rpm	1300	200	820
MRDPF 90	1300	1170	1370	780	925	350	350	400	90kW 3000rpm	1300	285	950
MRDPF 110	1410	1230	1430	880	980	385	410	500	110kW 3000rpm	1400	320	1110


PACK



PAKETLEME GRUBU

PACKAGING GROUP

ГРУППА ВЕСОВЫБОЯ


TEK TARTIM TEK KAFALI PAKETLEME

Single Weighing & Single Mouth Bagging Scale
Station D'ensachage Une Bouche

ÇİFT TARTIM TEK KAFALI PAKETLEME

Double Weighing & Single Mouth Bagging Scale
Station D'ensachage Deux Bouches






Model Type	Ölçüler / Dimensions (mm)												Çuval Sayısı Bag Number	Aspirasyon Aspiration	Hava İhtiyacı Air Requirement	Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	J	K	L	Çuval/Saat Bag/Hour (5-10-25-50kg %0,3)	m³	bar	(kW)	(kg)
MRDBS-1	3775	2100	3850	2580	1100	800	1000	1000	6480	850	850	150	350	10	4-6	0,75kW 1000rpm 0,75kW 1500rpm	2700
MRDBS-2	3775	2500	3850	2950	1100	800	1000	1000	6850	1700	850	150	550	10	4-6	1,5kW 1000rpm 3kW 1000rpm	3800


4 KAFALI OTOMATİK PAKETLEME


4 Mouths Automatic Carousel Bagging Scale
Station D'ensachage Automatique Rotative

6 KAFALI OTOMATİK PAKETLEME

6 Mouths Automatic Carousel Bagging Scale
Station D'ensachage Automatique Caroussel








Model Type	Ölçüler / Dimensions (mm)							Çuval Sayısı Bag Number	Aspirasyon Aspiration	Hava Basıncı Air Pressure	Motor Gücü Motor Power
	A	B	C	D	E	F	G	Çuval/Saat Bag/Hour (5-10-25-50kg ± %0,3)	m^3	Bar	kW
MRDBS-4	4115	1845	3100	290	2550	2000	2700	650	10	4-6	0,75kW 1000rpm 1,1kW 8rpm
MRDBS-6	4665	1845	4350	290	2550	2500	3200	850	10	4-6	

info@mrdmilling.com

RANDIMAN KANTARI

Extraction Scale
Balance D' Extraction






Model Type	Ölçüler / Dimensions (mm)													Kapasite Capacity (t/h)			Hava Basıncı Air Pressure	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	J	K	L	M	Buğday Wheat	Un Flour	Kepek Bran	(m/bar)	(kg)
MRDES 25	650	650	780	600	220	550	2150	600	700	120	200	500	500	7,5	4	2,8	4 - 6	220
MRDES 50	750	800	780	650	320	660	2410	700	800	120	200	540	540	15	8,5	5,7	4 - 6	280
MRDES 70	840	840	1000	700	320	660	2680	755	855	120	200	565	565	21	12	8	4-6	325
MRDES 140	1000	1000	1200	850	320	660	3030	900	1000	120	250	600	600	42	25	17	4-6	475

OTOMATİK TAVLAMA MAKİNESİ

Automatic Dampening Machine
Mouilleur Automatique






Model Type	Ölçüler / Dimensions (mm)													Kapasite Capacity	Su Paneli Water Panel	Su Basıncı Water Pressure	Hava Basıncı Air Pressure	Ağırlık Weight
	A	B	C	D	E	F	G	H	I	J	K	L	M	(t/h)	(Lt)	(bar)	(bar)	(kg)
MRDDM 25	650	650	780	600	220	550	2450	600	700	120	200	500	500	7,5	4	2,8	4 - 6	220
MRDDM 50	750	800	780	650	320	660	2710	700	800	120	200	540	540	15	8,5	5,7	4 - 6	280

DAĞITICI (DİVİZÖR)

Revolving Distributor
Distributeur






Model Type	Ölçüler / Dimensions (mm)							Motor Gücü Motor Power	Ağırlık Weight
	A	B	C	D	E	F	G	kW	(kg)
MRDDG 4	910	525	500	70	1095	150	150	1,1kW 32rpm	140
MRDDG 6	1160	525	600	70	1195	150	150	1,1kW 32rpm	160
MRDDG 8V	890	525	420	70	1015	150	150	1,1kW 32rpm	175


AKAR KANTAR

Flow Balancer
Doseur Pondéral





Model Type	Ölçüler / Dimensions (mm)			Kg	Kapasite (t/s) Capacity (t/h)
	A	B	C		
MRDAK 25	780	513	445	200 - 25.000	0 - 25
MRDAK 50	854	513	445	2.500 - 100.000	25 - 50




YEM MAKİNALARI
FEED MACHİNES


DOSAJ KANTARI

DOSING SCALE



It is used in areas where sensitive weighing is required in feed factories.





Model	A	B	C	D	F	G	H	I
MDR-DZ-095	2753	1413	1861	1008	1490	371	876	220
MDR-DZ-223	2755	1780	5265	1835	3720	1545	1250	280
MDR-DZ-467	4350	1930	5320	1970	3660	1660	2690	
MDR-DZ-715	5050	2130	6305	2175	4070	2235	3490	270


Model	Kefe Hacmi m3	Ağırlık
MDR-DZ-095	0.95	800
MDR-DZ-223	2.23	2320
MDR-DZ-467	4.67	3240
MDR-DZ-715	7.15	3500






ÇEKİÇLİ DEĞİRMEN

HAMMER MILL










The product which is using in many sector is used to shrink and break the grain materilals incoming to the machine with desired sizes and makes ready to use. Desired capacity of product incoming with the feeder on it.


With the motor connected directly to the body. it continues the crushing processuntil it passes through the holes of the steel cage through the high speed rotation of the rotorwith the help of blades.




Model	A	B	Bmax	C	D	E	F	G	H
MDR-HM 45x37	1430	625		750	1370	360	130	240	285
MDR-HM 70x40	1635	960	1620	1295	1525	730	445	180	
MDR-HM 115x50	2435	1775	2495	1800	2410	1590	490	350	
MDR-HM 115x60	2540		2650		2515		595		
MDR-HM 115x80	2805		2800	1800	2760		790		
MDR-HM 115x100	3265		3065	1840	3195	1620	1050		
MDR-HM 115x120	3460		3265		3390		1245		


Model	Bıçak Adedi	Elek Ölçüleri				Motor kW	Ağırlık	Kapasite
		Çap	Genişlik mm	Adet	Net Alan m2			
MDR-HM 45x37	48	450	380	2	0.36	18,5	490	2
MDR-HM 70x40	64	700	400		0.7	37/45	1040	5-6
MDR-HM 115x50	80	1150	500		1.4	90/110	4520	42278.00
MDR-HM 115x60	96		600		1.7	110/132	4740	15-20
MDR-HM 115x80	128		800		2.2	160/200	5170	20-25
MDR-HM 115x100	160		500	4	2.8	200/250	6810	30-35
MDR-HM 115x120	192		600		3.3	250/315	7030	45-50

KIRICI BESLEME ve MIKNATIS
HAMMER MILL LOADING & MAGNET




Screw conveyors rotating in opposite directions provide product blending and metering into the mill at a constant and uniform rate. Feeding rate that automatically adjusts with the ampere load on the mill motor (available in automated plants). Permanent magnet captures ferrous metals prior to milling.





Type	Dimensions (mm)					
	A	B	C	D	E	F
MDR-LM-10	1800	670	945	650	500	500






MİKSER
MIXER




It provides a homogenous mixing of the products entering.The product is mixed for the desired time with the help of pneumatic clapes located at the product inlet and outlet.


The products entering in collective are mixed with the specially designed rotor. Fountain designed to spray oil and molasses reach each area ofthe mixer.




Model	A	B	C	D	F	G	H
MDR-MX-R 500	3125	1175	1665	2145	900	1500	845
MDR-MX-R 1000	3850	1475	1800	2955	950	1575	1060
MDR-MX-R 2000	3910	1890	2280	3195	1350	2005	1390


Model	Motor	Hacim m3	Ağırlık
MDR-MX-R 500	11	1	1595
MDR-MX-R 1000	15	2	2265
MDR-MX-R 2000	30	4	3820









MELASİYER
MOLASSES MIXER




Molasses mixers are used in feed mills for the mixing of cane molasses,beet molasses and corn sugar molasses. It is possible to add up to 10 % of molasses into the molasses mixer.






Model	A	B	C	D	E	F	G	H	I	J	K	L	MxN
MDR-ML 300	1730	1285	1235	2555	1210	1130	590	645	450	180	145	145	160x150
MDR-ML 450	2850	1400	1785	3765	2135	1270	910	875	690	170	250	500	275x280
MDR-ML 550	3355	1605	1935	4245	2460	1430	1060		890	220		570	260x315
MDR-ML 600	3755	1630	2030	4665	2720		1110	920	1245	320		620	300x365


Model	Ana Motor	Besleyici Motor	Kapasite	Rotor Çapı	Ağırlık
MDR-ML 300	7.5	0.75	2	300	595
MDR-ML 450	11	1.5	5	450	1415
MDR-ML 550	22	2.2	10	550	1875
MDR-ML 600	30	3	20	600	2205





PELET PRESİ
PELLET PRESS











It provides to get final product with different sizes by combining and compressing different materials such as main feed. Fuel and food materials. It is manufactred in 3 stages as feeder. Mixer and Press and made from steel construction. Capacity that is desired to be given the product with feeeder can be adjusted accordingly.

Product is tranfered to the pres section with the help of specialy hardened anchors into the mixers with steam (if required with molasses). It is made from stainless metal to prevet corosion to the parts where the steam and molasses passes.







Model	A	B	C	D	E	F	G	H	I
MDR-PP 350	1555	2175	1255	1020	1950	190	190	240	310
MDR-PP 420	1890	2180	1585	1000	995	235	235	310	365
MDR-PP 520	2410	2890	2150	1300	1250			300	300
MDR-PP 660	2575	3150	2090	1400	1400			400	400
MDR-PP 800	2790	3340	2740	1550	1880	300	300	460	520
MDR-PP 900	2990	3385	2900		1980			490	

Model	Disk			Rulo		Motor	Ağırlık
	İç Çap mm	Pelet Genişliği mm	Pelet Alanı m3	Adet	Çap		
MDR-PP 350	350	100	0.11	2	160	75	2400
MDR-PP 420	420	138	0.18		200	2x(45/55)	3495
MDR-PP 520	520	178	0.29		240	2x(90/110)	6450
MDR-PP 660	660	228	0.47		320	2x(110/132)	7890
MDR-PP 800	800	265	0.67		360	2x(132/160)	11525
MDR-PP 900	900		0.75		420	2x(160/200)	12585
MDR-PP 900		300	0.85			2x(200/255)	13015


PELET PRESİ
PELLET PRESS












Model	A	B	C	D	E	F	G	H	I	J	QK	K	L
MDR-CO-S 275	2460	680	950	1340	450	1200	440	530	345	180	-	192	192
MDR-CO-S 450	3425	1080	1200	2780	1290	480	650	450	270	470	-	-	
MDR-CO-S 600	3390	1240	1420	3365	700	1430	500	800	520	320	620	-	-
MDR-CO-D 450	3425	1080	1850	2780	450	1290	480	650	450	270	470	-	-
MDR-CO-D 600	3390	1240	2220	3365	700	1430	500	800	520	320	620	-	-


Model	Ana Motor	Besleyici Motor	Rotor Çapı	Ağırlık
MDR-CO-S 275	5.5	0.75	255	375
MDR-CO-S 450	11	2.2	450	975
MDR-CO-S 600	18.5	3	600	1470
MDR-CO-D 450	2x11	2.2	450	1550
MDR-CO-D 600	2x18.5	3	600	2435

SOĞUTUCU
COOLER




It is used in the food and feed industry to cool particulate and granular materials. It provides effective cooling with the reverse air flow vertical cooling principle. Easy to install, energy saving is high.






Model	A	B	C	D	E	F	G	H	I	J	K	L	QM	Ağırlık
MDR-CL-S 1360x1360	1895	1725	2220	1550	1445	1445	700	225	225	430	425	345	-	670
MDR-CL-S 1400x1400	2505	1770	2745	1995			1150	-	220	220	1025	200	500	1130
MDR-CL-D 1400x1400	2555		3640				700	900						1900
MDR-CL-S 1900x1900	3000	2270	3320	2495	1915	1915	1400	-	300	300	1275	250	650	1660
MDR-CL-D 1900x1900	3050		4270				800	1100						2720
MDR-CL-S 2250x2250	3395	2620	3540	2845	2265	2265	1400	-	400	400	1525	1010	800	2050
MDR-CL-D 2250x2250	3375		4985				1000	1400						3435
MDR-CL-S 3000x3000	4090	3600	4340	3375	3020	3020	1600						900	3130









GRANÜLATÖR
CRUMBLER




The goods taken from the feeding spiral are distributed equally between the rolls. The rolls are adjusted according to the desired grain size and the goods are broken. Depending on the capacity, crushing process is carried out with rolls in 1-3 layers.







Model	A	B	C	D	E	F	G	H	I
MDR-GR-S 25x100	1675	1615	1375	1225	875	1025	300	570	270
MDR-GR-S 30x100		1665			925				320
MDR-GR-S 30x125	1925			1475		1275		820	
MDR-GR-S 30x150	2175			1725		1525		1070	
MDR-GR-D 30x150		2345	1975		1900			600	

Model	Ana Motor	Motor	Kapasite	Ağırlık	Top Çapı mm	Top Boyu mm
MDR-GR-S 25x100	11	0.75	8-10	1980	250	1000
MDR-GR-S 30x100	15		10-14	2055		
MDR-GR-S 30x125			13-18	2355		1250
MDR-GR-S 30x150			14-20	2680		1500
MDR-GR-D 30x150	2x15	2x0.75	28-40	5535		








ÇÖP SASÖRÜ
SEPARATOR





It used in the process of separating the grain from foreign material such as straw. Spike and soil which are different according to the line dimensions. The machine has 2 sieves designed with adjustable vibration and inclination all made of steel construction. Rubber ball placed to prevent clogging of sieves. The slopes and vibrations of the sieves can be adjusted thanks to the weights.



Model	A	B	C	D	E	QF	QG	QH	QJ
MDR-GS 100x150	2160	1590	1760	560	350	200	200	250	120
MDR-GS 100x200	2750	1615	1975	600		180	250		
MDR-GS 150x200		2115	2360	605	550	250	300		

Model	Elek Ölçüleri		Kapasite	Ağırlık	Motor	Strok	Eleme Alanı
	En	Boy					
MDR-GS 100x150	1	2x0.75	10-15	860	2x0.45	4.5-5.5	1.5
MDR-GS 100x200		2x1	20-25	1015	2x0.9		2
MDR-GS 150x200	1.5		35-40	1520	2x1		3






25-50 KG TEK TARTIM TEK BOŞALTIM YEM PAKETLEME

25-50 KG SINGLE WEIGHING SINGLE DISCHARGE FEED PACKAGING



Capacity Information: It may vary according to the product to be bagged and the desired tolerance. Information will be given for capacity information according to product and tolerance.




Model	A	B	C	D	E	F	G	H
MDR-DC-S	1284	5500	2992	3700	914	4456	2810	1992
MDR-DC-D	1575	6000	3000	3650	1574	3358	2710	2500

Model	A	A1	B	B1	C	DxL	E	F	G	Kapasite
MDR-DC 300x160	930	345	775	390	420	200x200	620	880	395	10
MDR-DC 300x220						220x240			435	25
MDR-DC 400x280	1365	475	785	520	520	280x320	880	980	520	60
MDR-DC 600x340	1715	600	1475	780	570	300x380	1130	1290	610	120
MDR-DC 700x400	1795	590	1785	910	420	310x445	1290	1380	680	150
MDR-DC 700x480	1855	675	1815		455	340x520	1280	1390	455	190

PREMİX
PREMIX DOSAGE



It is used to store the ingredients (vitamins. Enzymes. Salt. Ete.) Required to form the product and make it ready for production. Tube screw conveyor coils which operate independently of one another. Transmit the products to the dosing scale respectively. When the recipe is completed. It is mixed with semi-finished products. Eliminates human errors that can occur in manual feeds and accelerates production.





Type	Dimensions (mm)				
	A	B	C	D	ØE
MDR-PR-8	1850	1850	4200	1580	550
MDR-PR-12	2400	2400	4200	1580	550






DAİRESEL ELEK
CIRCLE SIEVE






Type	Dimensions (mm)			
	A	ØB	C	ØD
MDR-CS-10	2000	1600	1150	250








Gres Yağı
GROOSE OIL
FESTO




YEDEK PARÇA
SPARE PART
ЗАПАСНЫЕ ЧАСТИ

MRDSP-001



Elek İpeği
Plansifter Silk

MRDSP-002



Elek Kasası
Sieve Frame

MRDSP-003



Elek Telorası
Insert Frame

MRDSP-004



Elek Telora Teli
Insert Frame Wire

MRDSP-006



İpek Gerdirme Cihazı
Silk Stretching Machine

MRDSP-007



Elek Çubuğu
Hanging Rod

MRDSP-008



Elek Şeridi
Sieve Ribbon

MRDSP-009



Elek Krikosu
Plansifter Lifting Jack

MRDSP-010



Elek Alt ve Üst Torbası
Bottom & Top Sieve Bags

MRDSP-011



Damla Tapaten
Drop Cleaner

MRDSP-012



Duble Damla Tapaten
Double Drop Cleaner

MRDSP-013



Fırçalı Tapaten
Brush Cleaner

MRDSP-014



Duble Fırçalı Tapaten
Double Brush Cleaner

MRDSP-015




Yıldız Tapaten
Star Cleaner

MRDSP-016



Dip Sıyırıcı
Bottom Cleaner

MRDSP-017



Bez Tapaten
Cloth Cleaner

MRDSP-018




Sünger Yapışkanlı Fitil
Self-Adhesive Sponge Wick

MRDSP-019



Hızlı Yapıştırıcı & Sprey
Accelerator Glue & Spray

MRDSP-020



İrmik Sasör Fırçası
Semolina Purifier Brush

MRDSP-021



İrmik Sasör Fırçası Pistonu
Semolina Purifier Brush Piston

MRDSP-022



Elevatör Kayışı
Elevator Belt

MRDSP-023



Elevatör Kasnağı
Elevator Pulley

MRDSP-024



Koko Civata
Flat-Head Bolts

MRDSP-025



Kayış Zımbası
Belt Staplers

MRDSP-026



Kayış Macunu
Belt Paste

MRDSP-027



Elevatör Kovası (Plastik)
Elevator Bucket (Plastic)

MRDSP-028



Elevatör Kovası (Sac)
Elevator Bucket (Sheet)

MRDSP-029



Vals Topu (Kırma-Liso)
Roller Mill Roll (Break)

MRDSP-030




Vals Dişlisi
Roller Mill Gear

MRDSP-031



Vals Motor Kasnağı
Roller Mill Motor Pulley

MRDSP-032



Triger Kayışı (Top)
Timing Belt

MRDSP-033



Triger Kayışı (Danelik)
Transmission Belt

MRDSP-034



Vals Topu Sökme Pompası
Roll Dismantling Aparatus

MRDSP-035



Vals Camı
Roller Mill Hopper

MRDSP-036



Vals Bıçağı
Roller Mill Blade

MRDSP-037



Vals Fırçası (Liso-Kırma)
Roller Mill Brush (Smooth-Brake)

MRDSP-038



V Kayış Kasnağı
V-Belt Pulley

MRDSP-039



V Kayışı
V-Belt

MRDSP-040




Filtre Torbası
Filter Bag

MRDSP-041



Filtre Teli
Filter Bag Cage

MRDSP-042



Alüminyum Filtre Kapağı
Aluminium Filter Cover

MRDSP-043



Sac Diyafram
Sheet Filter Diaphram

MRDSP-044



Silikonlu Lastik Diyafram
Silicone Filter Diaphram

MRDSP-045



Filtre Beyni
Filter Brain

MRDSP-046



7281 Takoz
7281 Wedge

MRDSP-047



7237 Takoz
7237 Wedge

MRDSP-048



7236 Takoz
7236 Wedge

MRDSP-049



M16 İrmik Sasör Takozu
M16 Purifier Wedge

MRDSP-050



Lastik Manşon
Rubber Sleeve

MRDSP-051



Lastik Kapağı
Rubber Cover

MRDSP-052




Taş Ayırıcı Lastiği
Destoner Outlet Rubber

MRDSP-053



Yön Klapesi
Diverter Clack

MRDSP-054



Lastik Top
Rubber Ball

MRDSP-055



Kumlama Lastiği
Sand Blasting Rubber

MRDSP-056



Pnömatik Gözetleme Camı
Pneumatic Sight Glass

MRDSP-057



Dikiş Makinesi (Manuel)
Sewing Machine (Manuel)

MRDSP-058



Dikiş Makinesi (Otomatik)
Sewing Machine (Automatic)

MRDSP-059



Zincir Kaplin
Chain Coupling

MRDSP-060



Rulman
Bearing

MRDSP-061



Yataklı Rulman
Bearing with House

MRDSP-062



Rulman Yatağı
Bearing House

MRDSP-063



Asma Yatak
Hanger Bearing

MRDSP-064



Konveyör Bandı
Chain Conveyor Belt

MRDSP-065



Lastik Tokmak
Tamping Bar

MRDSP-066



Akış Borusu Temizleme Fırçası
Flow Pipe Cleaning Brush

MRDSP-067



Havalı Tel Tabanca
Pneumatic Wire Gun

MRDSP-068



Mekanik Tel Tabanca
Mechanical Wire Gun

MRDSP-069



Tabanca Teli
Gun Wire

MRDSP-070



Motor
Motor

MRDSP-071



Redüktörlü Motor
Gear Motor

MRDSP-072



Vibro Motor
Vibro Motor

MRDSP-073



Debimetre Camı
Flow-meter Glass

MRDSP-074



Akış Borusu (Krom ve Galvaniz)
Flow Pipe (Chrome and Galvanize)

MRDSP-075



Kontrol Borusu (Krom)
Control Pipe (Chrome)

MRDSP-076



Menteşeli Kontrol Borusu (Krom)
Hinged Control Pipe (Chrome)

MRDSP-077



Çatal (Krom)
Y Pipe(Chrome)

MRDSP-078



Çatal Klape (Krom)
Y Clack (Chrome)

MRDSP-079



Zaviye
Angle

MRDSP-080



Redüksiyon
Reduction

MRDSP-081



Korolet
Clamp

MRDSP-082




Nazo
Hopper

MRDSP-083




Soba - Pipo Enjektör
Stove-Pipe Injector

MRDSP-084




Yuvarlak Delikli Saclar
Circular Sheet

MRDSP-085




Oval Sac
Ellipse Sheet

MRDSP-086




Terso Saclar
Reverse Sheet

MRDSP-087




Triyör Sacı
Trieur Sheet

MRDSP-088




Galvanizli Panjur Sacı
Galvanized Louver Sheet

MRDSP-089



Kepek Fırça Sacları
Bran Finisher Sheet

MRDSP-090



Kabuk Soyucu Sacı
Impact Scourer Sheet

MRDSP-091



Kabuk Soyucu Teli
Impact Scourer Wire

MRDSP-092



Taş Ayırıcı Teli
Destoner Wire

MRDSP-093



Halatlı Sensör
Rope Sensor

MRDSP-094



Çubuklu Sensör
Bar Sensor

MRDSP-095



Buğday Örnek Sondası
Wheat Sample Probe

MRDSP-096




Rutubet Ölçme Cihazı HE50
Moisture Meter HE50

MRDSP-097



Hektolitre
Hectometer

MRDSP-098



Sedimantasyon Cihazı
Sedimentation Device

MRDSP-099



Sedimantasyon Aksesuarları
Sedimentation Accessories

MRDSP-100



Gluten Indeks
Gluten Index

MRDSP-101



Gluten Yıkama Cihazı (6100)
Gluten Washing Device (6100)

MRDSP-102



Enzim Ölçer (5100)
Enzyme Meter (5100)

MRDSP-103



Kül Fırını
Ash Furnace

MRDSP-104



Kül Fırını Aksesuarları
Ash Furnace Accessories



SİLO
SILOS

DÜZ TABANLI SİLOLAR
FLAT-BOTTOM SILOS

Flat bottom silos deliver diversity by involving easy assembly resulting in minimal installation costs and highly efficient low cost storage.
MDR storex offers a capacity range of 25 - 20.000 Tones.
MDR storex offers diameter-based roof options that help balance performance with price. Also self-supporting roofs with appropriate angle, permitting
The optimization of storage capacity through adaptation to the slope of the silo.
Manufactured with galvanized steel sd350gd of high elastic tolerance and with z450 minimum coating equipment to 450gr/m2 of zinc.
MDR storex uses grade 10.9 Bolts and nuts which have js1000 or geomet500a coating (rust-free in over 1000 hours of salt spray testing. Thatís
Up to 10 times more corrosion resistance) also special insulation material is used for the efficient sealing.
MDR storex side discharge system allows gravity load out to trucks or rail cars.
Commercial grain silos feature a heavy-duty access door.
MDR storexís temperature control system consists of temperature sensors installed inside the cables to measure the grain temperature, and portable
Or stationary temperature screens. The temperature control system is connected with the plc to allow for controlling the grain temperature inside
The silos via the plc screen.



KONİK TABANLI SİLOLAR
HOPPER SILOS

Hopper Silos are typically used in applications where routine and fast clean out is required or just to reduce the energy and labor cost of material handling.
Different hopper angles can be manufactured according to silo diameter, product type to be stored, natural conditions of the place where silo is desired to be erected and customer demands.
Bracing system is designed for a maximum support.
MDR Storex uses grade 10.9 bolts and nuts which have JS1000 or Geomet500A coating (rust-free in over 1000 hours of salt spray testing. Thatís up to 10 times more corrosion resistance) also special insulation material is used for the efficient sealing.
High galvanization (SD350GD and 450gr/m2 coating) and perfect quality bolts obtain a longer guarantee against puncture by corrosion The steel corrugation and high galvanization reduce the temperaure oscillations inside of the silos and keep the product in better conditions. Perfect gradient, so that, when it rains, the water falls directly to the ground from the body of the silo.
MDR Storex provides aeration systems to meet your grain conditioning needs.



TAV - PAÇAL SİLOLARI

DAMPENING-BLENDING SILOS

MDR Square Silos offer solutions to customers to store several granular and powder products such as grain and feed etc. It is manufactured in trapezodial mesh twisted modules. Mounting and demounting can be made easily. The Modular system is adapted according to the customer's request. Requested sizes and capacities are custom designed. It provides more storage space in limited area than round silos. Cellular divisions can be made according to requirements.

The Outside coating, depends on customers demand;


Electrostatic powder painted steel,

Galvanized steel,

Stainless Steel,

Food grade epoxy painted productions are subjected before painting a special surface operation such as sandblasting. They might be mounted on a steel construction support or concrete base. Single or multiple outputs are optional.

MDR Square Silos are ideal for; regular flow, first in first out storage, tempering and blending in terms of quantity and capacity.



UN-İRMİK-KEPEK SİLOLARI
FLOUR-BRAN-SEMOLINA SILOS

MDR offers solutions to its customers with steel silos in order to store flour, bran, semolina etc. granular and powder products. It is manufactured in modules with all bolted combining. Mounting and demounting can be made easily. Modular system is adapted according to customer request. It is designed in demanded sizes and requested capacities.
Outside coating, depends on customers demand;
Electrostatic powder painted steel
Galvanized steel
Stainless Steel
Food grade epoxy painted productions are subjected before painting with special surface operations such as sandblasting.
There is no product build-up or stick to walls of the silo, because of being provided a smooth surface area. It is suitable for vibratory discharging.
With a PLC system, MDR flour silos allow to be made dosaging through a carrier equipment placed under dosaged flour allows to make blending in the mixer.





MRD
Milling Machinery Systems

MRD DIŞ TİCARET LTD. ŞTİ.
Fevzi Çakmak Mah. Kenitra Cad. No:26/AD Karatay/Konya/TÜRKİYE
Tel : +90 532 577 57 39
E-Mail : info@mrdmilling.com

www.mrdmilling.com